




WEB	20	5/8	3/8
FL	6	1/2	7/16

ONE - BEAM - 64B1A
(c=1)
[GRID 02-03/EE]

REF. ERECTION DWG. E2

SHIPPING MARK	SHIPPING QUANTITY	MATERIAL			MATERIAL GRADE	M.O. #	REMARKS	FIELD BOLTS 20—TCB 7⁄8"øx2 3⁄4—A 325 8—TCB 7⁄8"øx2 1⁄4—A 325	B			RUNNING DIMENSIONS FROM END OF MAIN MATERIAL. WELDERS CERTIFIED PER A.W.S. MEMBERS TO BE ERECTED USING DIRECTION MARK ON MEMBER.	
		MAT'L DESCRIPTION	LENGTH						A				
			FT	IN									
64B1A	ONE	W21x44	37	4 5⁄8	A572—50	1/20	c=1	M.T.R. REQ'D YES	REV. BY DATE			REVISIONS	
a6 3a	4	L4x4x 5⁄8	1	3	A 36				DESCRIPTION: BEAM (PHASE 1)				DRAWN BY
	10	TCB 7⁄8ø	0	3	A 325		CON.	MADE IN THE USA NO	JOB: Project Name Project Address			GB	06/19/03
												CHK'D BY	DATE
								HOLES 15/16" U.N.O.	CUSTOMER: Customer Company Name			AF	06/20/03
												LEADMAN	DATE
								SURFACE PREP & PAINT NO PAINT #3	Fabricator Company Fabricator Address				
												2003—040	S64 (B)

